

Mounted lights LED 12V white 5700K

Material no.: 6000015752 | Matchcode: EL LA LED 12V 5700 | EAN code: 4014599935137



- » Ultra-flat design
- » Operating voltage of 12 V DC
- » Dimming function
- » Connection option for external button
- » Mix of cold and warm white LEDs

Materials & Colour

Material:	PC
Colour:	Transparent White

Dimensions

Outer dimensions:	169 x 91 x 10 mm
-------------------	------------------

Technical data

Weight:	0,09 kg
IP Protection:	54
Voltage in volts:	12 DC

Conformity

EMC Compliant:	Yes
ECE mark:	E1 10R-05

Mounted lights LED 12V white 5700K

Material no.: 6000015752 | Matchcode: EL LA LED 12V 5700 | EAN code: 4014599935137

Description

The LED lamp with its shallow installation height of only about 10 mm is ideally suited for mounting on the vehicle roof or on the roof cladding. The loading space is very well lit by this lamp providing good illumination even in the dark winter months.

With its integral button, the light can be dimmed if required so that it is also ideal for use in the leisure sector or for discreet lighting, for example in a camper van. It has a long service life of at least 20,000 hours if there is compliance with the stipulated technical data. The light can also be switched via an external input, for example to couple it with the interior lighting of the vehicle.

Technical details:

- » Nominal voltage: 12 V DC
- » Power at 100% white light: approx. 5.0 watts
- » Current consumption at 100% white light: 400 mA
- » Idle current consumption: 5.8 mA
- » Only operate with external back-up fuse: 1.6 A slow-acting
- » Operating temperature: -20 °C to +60 °C
- » Beam angle: 120 °
- » Illumination level: approx. 185 lx (1 m)
- » Colour temperature: 5700 K (+/- 300 K)

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 21.12.2023