

en -Instructions for use

Side profile extension ProClick SR5 accessories



Table of contents

Preface	3
Information on the document.....	3
Contact	3
Intended use	3
Foreseeable misuse	4
Operator's obligations	4
Limitations of use	4
Requirements for the user	5
Maintenance and care.....	5
Note on the adapter	5
ProClick SR5 accessories for the side profile	6
ProClick Paper Towel Dispenser	6
ProClick Storage Pocket Insetbox H95.....	6
ProClick C-BOXX Holder.....	7
ProClick Hose Holder.....	7
ProClick Threaded Bolt Holder	7
ProClick Plaster Dispenser.....	8
ProClick Silicone Cartridge Holder	8
ProClick Aerosol Can Holder 73.....	8
Office Organiser	9
ProClick Disinfectant Dispenser	9
ProClick Tool Bags.....	10
ProClick Tool Bag M 14.....	10
ProClick Nail Bag M	10
ProClick Tool Bag L 16.....	10
ProClick Tool Bag L 36.....	11
ProClick Tool Bag L 39.....	11
ProClick Tool Card S 6.....	11
ProClick Hammer Holder S	12
ProClick Equipment Bag S	12
ProClick Battery Holder	12

Preface

SR5 accessories with a ProClick connection can be attached to the SR5 side profile virtually without the need for tools.

Accessories can be hung quickly and simply on the ProSafe hole located as standard using the hook on the back,

obviating the need for complex installation and expensive mounting material.

This innovative attachment concept enables the accessories to be quickly moved at a later stage to meet requirements, and leaves no unattractive drill holes on the side profile.

Information on the document

Comply with the following aspects for the safe use of the product.

- ▶ Read this document carefully before use.
- ▶ Keep this document for subsequent reference.
- ▶ Pass this document on to the end user and the vehicle user.

This document forms an integral part of the product and is an important component of the safety concept. Failure to observe this can lead to serious damage to property, injury or even fatal injury.

Contact


Do you have questions about the product? You can find your personal contact on our website.



Intended use

The ProClick system is used to tidily store and transport tools and consumables. It is primarily designed for mobile use.

Foreseeable misuse


	Caution!
<p>Damage to property and a risk of injury from damaged products. Severe injuries can result from the use of damaged products.</p> <ul style="list-style-type: none">▶ Never use damaged ProClick products.▶ Replace damaged products with new ones.▶ Make sure that the ProClick is correctly engaged and locked in place.▶ Do not repair damaged products at your own discretion.	

Operator's obligations

Ensure that ...

- The applicable laws and standards are observed (e.g. DGUV V38 and professional association guidelines).
- The safety labels are visible and legible on the product.
- The ProClick system is regularly inspected for wear or damage.
- The user has read and understood this document.
- The user has the required knowledge and can apply it.

Limitations of use

	Danger!
<p>Severe to fatal injuries can result if the maximum permitted loading weight is exceeded.</p> <ul style="list-style-type: none">▶ Pay attention to the weight of your van racking system.▶ Note the maximum permitted load capacity/payload of the ProClick elements.▶ When using, make sure that all tools and consumables are held securely in place.▶ Danger from falling objects▶ Pay attention to the information in the handbook and in the vehicle documentation regarding:<ul style="list-style-type: none">- Maximum permissible axle load,- Maximum permissible total weight.	

Requirements for the user

Life phases	Knowledge
Fitting and dismantling the product	- Technical expertise
Working on the electrics	- Specialist electrical engineering knowledge - Applicable legislation and standards, e.g. VDE 0100-717
Load securing	- The applicable legislation and standards governing the securing of loads, e.g. the German Road Traffic Act StVO and the German Regulation on the Approval of Road Vehicles StVZO.
Transporting gas bottles	- Applicable laws and standards governing the transport of dangerous materials, such as GGVSE, ADR and SDB. - Operation of the ventilation and air extraction systems.

Maintenance and care

Regularly check the products for wear or damage.

Use a damp cloth to clean the plastic. Avoid the use of corrosive cleaning agents to prevent damage to the product, and use a soft brush to clean the bag material at regular intervals.

Note on the adapter

Different load capacities can be obtained depending on the adapter.

Accessories with light adapter plate: 5 kg

Accessories with heavy adapter plate: 25 kg

C-BOXX holder: 20 kg

ProClick Tool bags: 5 kg

ProClick battery holder: 1 kg

Note: Accessories with a "light" adapter plate are secured in place by engaging the "position anchor" in the ProSafe hole.



Note: Accessories with a “heavy” adapter plate and “C-BOXX holder” are secured in place with a screw!



Note: ProClick “Tool bags” are secured by hanging the hook in the ProSafe hole!



ProClick SR5 accessories for the side profile

ProClick Paper Towel Dispenser

Ref. No. 1000018385



ProClick Storage Pocket Insetbox H95

Ref. No. 1000018384

Load capacity: 5 kg



ProClick C-BOXX Holder

Ref. No. 1000018390

Load capacity: 20 kg



ProClick Hose Holder

Ref. No. 1000018391

Load capacity: 25 kg / 8 kg per single
hook

ProClick Threaded Bolt Holder

Ref. No. 1000018389

Load capacity: 25 kg

© Sortimo International GmbH

7

ProClick Plaster Dispenser

Ref. No. 6000013925



ProClick Silicone Cartridge Holder

Ref. No. 1000018387

Load capacity: 5 kg



ProClick Aerosol Can Holder 73

Ref. No. 1000018388

Load capacity: 5 kg



Office Organiser

Ref. No. 6000013636

Load capacity: 5 kg



ProClick Disinfectant Dispenser

Ref. No. 1000018631



ProClick Tool Bags

ProClick Tool Bag M 14

Ref. No. 6000013928

Maximum load: 5 kg



ProClick Nail Bag M

Ref. No. 6000013929

Maximum load: 5 kg



ProClick Tool Bag L 16

Ref. No. 6000013930

Maximum load: 5 kg



ProClick Tool Bag L 36

Ref. No. 6000013931

Maximum load: 5 kg



ProClick Tool Bag L 39

Ref. No. 6000013932


Maximum load: 5 kg



ProClick Tool Card S 6

Ref. No. 6000015240

Maximum load: 5 kg



ProClick Hammer Holder S

Ref. No. 6000015241

Maximum load: 5 kg



ProClick Equipment Bag S

Ref. No. 6000015242

Maximum load: 5 kg



ProClick Battery Holder

Ref. No. 6000013935

Maximum load: 1 kg

