### Data sheet



## **T-BOXX 120 load securing**

Material no.: 1000021068 | Matchcode: STB 120 LASI | EAN code: 4014599172396



- includes basic equipment for load securing in your van
- Can be coupled with T-BOXX 320 or T-BOXX 330
- Compatible with the ProClick system and Sortimo in-vehicle equipment
- transparent cover
- Content always in view

### **Materials & Colour**

Material: ABS

PC

PP Plastic

high-grade steel

Colour: Sortimo CoolGrey

Sortimo Blue Transparent

### **Dimensions**

Outer dimensions: 357 x 205 x 85 mm
Interior dimensions: 253 x 177 x 58 mm

Usable area: 0.045 m²

### **Technical data**

Weight: 1,99 kg

Maximum load capacity: 5 kg

Maximum lid load: 100 kg

Temperature resistance: -30 - 80 °C

Water resistance: IPX4 - Protection against splash water

## Data sheet



# **T-BOXX 120 load securing**

Material no.: 1000021068 | Matchcode: STB 120 LASI | EAN code: 4014599172396

Con	

REACH compliance: EG 1907/2006
PAH compliance: EU 1272/2013

Accessories				
	Material no.	Description	Matchcode	EAN code
	1000001870	Flexible edge protection lash.straps(4x)	ZFKS ZG VPE4	4045294230999
	6000015685	Labelling sticker STB120 multic. 1 Bog.	STB 120 Etikett	4014599800862
	1000021631	Holder T-BOXX 120 GL4	H STB 120 GL4	4014599803726
A	1000021618	Holder T-BOXX 120 SR5	H STB 120 SR5	4014599790293
	6000011232	Adhesive labels for inset box 30 in number, assorted (1 sheet)	IB ETIKETT 1BOG	4045294740887

Spare parts					
Material no.	Description	Matchcode	EAN code		

6000014293 ET detachable hinge for the SR-BOXX/ C-BOXX/ T-BOXX 120 ET ST SCH SRB 2STK 4014599630896

### Data sheet



## T-BOXX 120 load securing

Material no.: 1000021068 | Matchcode: STB 120 LASI | EAN code: 4014599172396

### **Description**

The T-BOXX 120 contains basic equipment for load securing in your van. Using the integrated ProClick hook, the T-BOXX 120 can be placed at various locations on the van racking system or in the vehicle. The load securing elements included are therefore quickly available and ready for use.

#### Contents:

- 2x ProSafe lashing straps with ratchet turn buckle 3.5 m
- 2x ProSafe lashing straps with clamping lock 3 m
- 4x anti-rattle mats 200x100x8 mm for pallet feet
- 4x Flex edge profiles for lashing straps
- 1x load securing information flyer

ProSafe lashing straps are compatible with Sortimo van racking systems and with the vehicle manufacturer's original lashing points.

The anti-rattle mats can be placed under your cargo to increase the friction between the load and the floor, crucially important especially with friction-locked load securing.

The use of edge profiles protects lashing straps from damage and premature wear. They can be positioned between the cargo and lashing strap when lashing to prevent the strap from chafing or cutting into the cargo.

An information flyer with useful practical tips on load securing is included, essential as reference in every vehicle.

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 16.11.2023