

i-BOXX 72 G incl. IBS 26 Stk. H63

Material no.: 6000010989 | Matchcode: I-72 G IBS 26 ST | EAN code: 4045294732073



- » includes inset box set 26 No. H63
- » sturdy and resilient
- » Small components in view at all times
- » Integrated handle
- » individual equipment optimises workflows

Materials & Colour

Material:	ABS PC PS
Colour:	Sortimo CoolGrey

Dimensions

Outer dimensions:	316 x 367 x 72 mm
Interior dimensions:	261 x 340 x 63 mm
Usable area:	0.089 m ²


Technical data

Weight:	0,90 kg
Maximum load capacity:	3 kg

i-BOXX 72 G incl. IBS 26 Stk. H63

Material no.: 6000010989 | Matchcode: I-72 G IBS 26 ST | EAN code: 4045294732073

Design & Function




Accessories

	Material no.	Description	Matchcode	EAN code
	6000010914	Divider IB 1.5x5 H63	TW 1.5X5 H63	4045294730260
	6000010922	Divider IB 2x0 H63	TW 2X0 H63	4045294730345
	6000010921	Divider IB 1x0 H63	TW 1X0 H63	4045294730338
	6000010903	Insetbox 1x1 H63	IB 1X1 H63	4045294730154
	6000010904	Insetbox 1x2 H63	IB 1X2 H63	4045294730161
	6000010905	Insetbox 2x2 H63	IB 2X2 H63	4045294730178

i-BOXX 72 G incl. IBS 26 Stk. H63

Material no.: 6000010989 | Matchcode: I-72 G IBS 26 ST | EAN code: 4045294732073

	Material no.	Description	Matchcode	EAN code
	6000010906	Insetbox 1x4 H63	IB 1X4 H63	4045294730185

Description

This i-BOXX 72 G features an inset box set, which provides 10 subdivision options for the secure and ordered transport of all your small components. Integrated partition guides in the inset boxes (from inset box size 1x2 onwards), in conjunction with the dividers included in the set, offer additional subdivision options, making it even more flexible and efficient.

(The inset box set consists of: 1 x inset box 5x5 H63 including 2 dividers, 25x inset boxes 1x1 H63)

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 29.02.2024