

lashing eye set VPE 2

Material no.: 80714244 | Matchcode: VZA | EAN code: 4014599714244



- » for individual mounting on a SoboFlex or SoboGrip floor
- » reliable lashing resilience 400 daN
- » two lashing eyes and two drive-in nuts are included in delivery

Materials & Colour

Material:	Steel
Colour:	Silver


Dimensions

Outer dimensions:	1,200 x 44 x 55 mm
-------------------	--------------------

Technical data

Weight:	0,13 kg
Maximum tensile force in daN:	400

Accessories

	Material no.	Description	Matchcode	EAN code
	80714114	Lashing strap clamp buckle, 3.5 m	ZVK	4014599714114

lashing eye set VPE 2

Material no.: 80714244 | Matchcode: VZA | EAN code: 4014599714244

	Material no.	Description	Matchcode	EAN code
	1000000222	ProSafe lashing belt clamp buckle 3 m	PSH KS 3	4045294195892
	1000000223	ProSafe lashing belt clamp buckle 6 m	PSH KS 6	4045294195908
	1000000224	Lashing strap ProSafe clamping lock 1.4 m, 250 daN	PSH KS 1,4	4045294195915
	1000000225	ProSafe lashing belt ratchet 3.5 m	PSH RA 3,5	4045294195922
	1000000226	ProSafe lashing belt ratchet 6 m	PSH RA 6	4045294195939
	1000005222	Lashing str. PS clamp buckle 3m, 250daN WorkMo	PSH KS 3 WO	4045294525187

Spare parts

Material no.	Description	Matchcode	EAN code
801009977	Lashing eye	VZA2	4045294130664

Description

The lashing eye set is suitable for individual mounting on a SoboFlex or SoboGrip floor from Sortimo. This means that when required you can create lashing possibilities and facilitate your daily work routine.

The reliable lashing resilience (assuming professional mounting) is 400 daN.

Two lashing eyes and two drive-in nuts are included in delivery

lashing eye set VPE 2

Material no.: 80714244 | Matchcode: VZA | EAN code: 4014599714244

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 21.12.2023