

WorkMo 24-500 with 4 drawers

Material no.: 1000003702 | Matchcode: WO 24-500 SBL6 | EAN code: 4045294396503



- » equipped with 4 drawers
- » Stackable functional modules
- » Fast and easy to build
- » Flexible usage
- » Optional worktable

Materials & Colour

Material:	Aluminium Synthetic material
Colour:	Sortimo CoolGrey

Dimensions

Grid width:	2
Grid depth:	4
Outer dimensions:	396 x 526 x 506 mm
Interior dimensions:	321.4 x 418.4 x 89 mm
Usable area:	0.538 m ²

Technical data

Weight:	18,97 kg
Maximum load capacity:	100 kg
Maximum lid load:	100 kg
Number of drawers:	4

WorkMo 24-500 with 4 drawers

Material no.: 1000003702 | Matchcode: WO 24-500 SBL6 | EAN code: 4045294396503

Accessories

	Material no.	Description	Matchcode	EAN code
	1000003697	Worktop without perforation WorkMo 24	WO AP 24	4045294395568
	1000003706	Roller WorkMo 24	WO RO 24	4045294396909
	1000004390	Tool tray WorkMo 24-6	WO WKZA 24-6	4045294500436
	1000003775	Transport set worktable WorkMo	WO TS AP-T	4045294408657
	1000003700	Work table WorkMo	WO AP-T	4045294396190
	1000003696	Worktop with perforation WorkMo 24	WO APL 24	4045294395353
	1000003705	Perforated aluminium grid WorkMo 500	WO SBAL 500	4045294396800

Description

This module is equipped with four drawers, height 6 (internal dimensions WxHxD): 418 x 89 x 314 mm). The drawers stow away objects, keep them concealed from view and are easily accessible due to its full extension. They can be flexibly subdivided with accessories such as inset boxes, small component trays or dividers and provide for even more clear arrangement and organisation saving you much search time. Optional anti-rattle mats on the floor of the drawer prevents movement of the contents and absorbs noise.

WorkMo 24-500 with 4 drawers

Material no.: 1000003702 | Matchcode: WO 24-500 SBL6 | EAN code: 4045294396503

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 29.02.2024